



HCSD REPORT #81-007



UTILIZATION STUDY OF MURSE PRACTITIONERS IN EMERGENCY MEDICAL TREATMENT,

A.J./ Frelin LTC, ANC Health Care Studies Division Academy of Health Sciences, US Army Fort Sam Houston, TX, 78234

> Final Report May 1981

DISTRIBUTION STATEMENT

Approved for public release; Distribution Unlimited

Prepared for:

UNITED STATES ARMY HEALTH SERVICES COMMAND Fort Sam Houston, Texas 78234



NOTICE ,

The findings in this report are not to be construed as an official Department of the Army position unless so designated by other authorized documents.

Acces	sion For	-7
NTIS	GRA&I	102
DTIC	TAS	ň
Unannounced Justification		
Ava	ilability Co	des
	Avail and/	or
Dist	Special	
a		
1		

Distribution Unlimited per Dr. A. D. Mangelsdorff, AAHS/HCSD

REPORT DOCUMENTATION PAGE	READ INSTRUCTIONS BEFORE COMPLETING FORM		
1. LEPORT NUMBER 2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER		
A1-A103	139 :		
4. TITLE (and Subtitle).	5. TYPE OF RUIORY & PERIOD COWERSD		
Utilization of Nurse Practitioners in	Final Report		
Emergency Medical Treatment	6. PERFORMING ORG. REPORT NUMBER		
7. AUTHOR/s)	B. CONTRACT OR GRANT NUMBLE FOR		
- 701804(9)	o. Contract on onall homology		
A.J. Frelin, LTC, ANC			
9. PERFORMING BREANIZATION NAME AND ADDRESS	10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS		
Health Care Studies Division	ANEX & HONK BITT HUMBERS		
Academy of Health Sciences, US Army Fort Sam Houston, TX 78234			
11. CONTROLLING OFFICE NAME AND ADDRESS	12. REPORT DATE		
Commander, US Army Health Services Command	Jun 81		
ATTN: HSPA-C Fort Sam Houston, TX 78234	13. NUMBER OF PAGES		
14. MONITORING AGENCY NAME & ADDRESS(If different from Controlling Office)	15. SECURITY CLASS. (of this report)		
	Unclassified		
	15a. DECLASSIFICATION/DOWNGRADING SCHEDULE		
16. DISTRIBUTION STATEMENT (of this Report)			
,	·		
Limited Distribution			
Limited Distribution			
-			
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, If different from Report)			
	·		
IR. SUPPLEMENTARY NOTES	•		
·	-		
	·		
	-		
19. KEY WORDS (Continue on reverse alde if necessary and identify by block number)			
Emergency Nurse Practitioners, Nurse Practitioners, Nurses in Emergencies,			
Physician Attitudes, Acceptance			
22. ABSTRACT (Continue on reverse eith if necessary and identify by block number)			
-Trauma is the third leading cause of death in the United States and the			
leading cause of death and disability in the under-38-year-old age group.			
These statistics indicate vital loss of productivity in a population particularly significant to the primary AMEDD mission. The use of nurses			
in an expanded primary care role in this area has been pioneered in some			
of the civilian sectors. With limited resources in the ANC, is this role			
necessary to delivery of comprehensive emergency care in the AMEDD? The			
study objectives for this project are 1) to define the role and scope of			

20. practice of the Emergency Nurse Practitioner, 2) to identify the skills required by the BSN prepared nurse to assume the role of Emergency Nurse Practitioner (ENP), 3) to measure physicians' acceptance of the role of ENP, and 4) to assess the potential for utilization of ENPs in Army treatment facilities in fixed and/or field care settings. The investigation analyzed the results and recommends that since events seem to have overtaken time the study should not be carried out.

TABLE OF CONTENTS

		Page
1,	INTRODUCTION	1
2.	OBJECTIVES	1
3.	METHODOLOGY	. 2
4.	DISCUSSION	2
5.	RECOMMENDATIONS	3
6.	REFERENCES	4
7.	APPENDICES	
	a. Study Protocol	•
	b. Study Instruments	

Utilization of Nurse Practitioners in Emergency Medical Treatment

1. INTRODUCTION.

- a. Problem. To determine the role definition of, the skills required for, and the potential requirements for the Emergency Nurse Practitioner in Army Emergency Departments in fixed or field facilities.
- b. Purpose. The investigation will consider all facets of practice of these care providers and its application in the Army Medical Department. A report will be generated which will demonstrate the potential role utilization of the Emergency Nurse Practitioner in the Army Medical Department.

c. Background.

- (1) Trauma is the third leading cause of death in the United States and the leading cause of death and disability in the under-38-years-of-age group. These statistics indicated vital loss of productivity in a population particularly significant to the primary AMEDD mission, both in fixed facilities and during mobilization. The use of nurses in formalized expanded role and as a primary care provider has been pioneered in some areas of the civilian sector. However, with a limited number of nurses to the ANC missions accomplishment, is this role necessary to the delivery of comprehensive emergency care in the AMEDD?
- (2) Literature surveys were performed on the key words Emergency Nurse Practitioner, Emergency Nurse, Nurse Practitioner, and Clinician. The searches were by MEDLARS II (search #31145737), Defense Documentation Center (search # 099482), and Defense Logistics Studies Information Exchange (search #998-81).
- (3) The role of Emergency Nurse Practitioners (ENPs) has been described in various ways by various authors (Boyd, 1973; Brenham, 1977; Finke, 1975; Geolog, 1977, 1978; Hardy, 1978; Roglieri, 1975; Watckerle, 1977). There are presently eight Emergency Department Nurses' Association (EDNA) endorsed postgraduate practitioner programs preparing nurses for this role.

2. OBJECTIVES.

The study objectives are:

- (1) To define the role and scope of practice of the Emergency Nurse Practitioner.
- (2) To identify the skills required by the Bachelor of Science Degree prepared nurse to assume the role of Emergency Nurse Practitioner.
- (3) To measure physicians' acceptance of the role of the Emergency Nurse Practitioner.
- (4) To assess the potential for utilization of Emergency Nurse Practitioners in Army treatment facilities in fixed and/or field care settings.

3. METHODOLOGY.

- a. Data collection.
- (1) Initially, data was collected from each Emergency Department Nurses' Association approved Emergency Nurse Practitioner program which responded to a request for information concerning their preparation. Additional information concerning specific skills was collected from the literature review.
- (2) A survey questionnaire would be used to collect all required information. a) A random sample of physician-members of the American College of Emergency Physicians, b) military the iclans designates. Emergency Department Directors/Chiefs in CONUS hospitals, c) Emergency Nurse Practitioners identified by preparing programs, and d) registered nurses now practicing in CONUS Army hospitals.
- (3) In each case the instrument consists of two parts: the first part seeks demographic data from each group, the second part consists of a skills/functions list for Emergency Nurse Practitioners. Each physician will be asked to indicate his willingness to delegate the skills/functions to a Nurse Practitioner, each Emergency Nurse Practioner will indicate those skills/functions for which she/he was prepared and those she/he actually carries out in the work place, while each emergency nurse will indicate those skills she/he now holds.
- (4) The skills list itself is based on the data received from each Emergency Department Nurses' Association approved program which prepares Emergency Nurse Practitioners. Content validity was addressed by having the list evaluated by three experts in the field, one who directs an Emergency Nurse Practitioner program, one who supervises in the practice setting, and one military Emergency Department Clinical Specialist. The tools have been tested in the Emergency Department at Brooke Army Medical Center, Fort Sam Houston, Texas, and final revisions made.
- b. Data analysis. The skills/functions data would be analyzed by use of descriptive statistics which would describe the frequency of responses for each group. Additional analyses may be required depending on the specific data collected and will be performed as appropriate. Data handling procedures will be accomplished by DSO/HCSD personnel prior to transfer of data to punched cards by the Production Division, Health Care Systems Support Activity (HCSSA), HSC, located in Building 2000, Fort Sam Houston, Texas. Programming support and statistical consultation will be obtained from HCSD personnel. The preprogrammed Statistical Package for the Social Sciences (SPSS) will be used for data analysis.

4. DISCUSSION.

The study protocol as described in this report was submitted for review to nurse researchers familiar to and with the ANC and to emergency care proponents. Generally, the emergency physician consultant felt the study did not merit investigation, while the Surgical Consultant suggests a broader role definition to increase flexibility.

However, particularly among ANC reviewers, rather than the issue of Emergency Nurse Practitioners, who are by definition primary practitioners, the primary concern appeared to be what, if any, specialized training is required for a 66J or 66H to function effectively in today's Emergency Department. In fact, the proposal fact sheet in background information says, "There is increasing evidence that nurses who work in the Emergency Room of MTFs need special preparation to provide care for trauma patients in the ER."

The issue of special preparation for ED practice has been increasingly prevalent over the last five years. The latest standards for accreditation by the JCAN states...A designated registered names who is qualified by relevant training, experience and current competence in emergency care shall supervise the care provided by all nursing service personnel... All personnel shall be prepared for their emergency care responsibilities through appropriate training and educational programs...

It is an HSC Ambulatory Care goal that all military Emergency Departments meet the standards for Level I or II emergency service. Within this standard a physician must be available in the ER 24 hours per day.

5. Recommendations.

After review of the literature and analysis of reviewers' comments, it would appear that this study is no longer of sufficient value to warrant the expenditure of resources it would require.

It would appear that adding this specialized care provider would not impact positively enough on the comprehensive emergency care services in the AMEDD to warrant drawing on our limited number of ANCs to provide them, especially in the TOE hospital which has only four TDA slots for nurses. Recommend the study not be carried out.

as well as current standards, dictate a need for specialty training in ED nursing. Recommend the ANC offer a short course to prepare nurses for this specialized duty using the standard for content established by the Emergency Department Nurses' Association in their published Core Curriculum.

If the ENP concept is still considered a researchable question, recommend the study address only objectives 1 and 2 by querying practicing Emergency Nurse Practitioners—a study which at this point would require minimal resource expenditure.

LITERATURE CITED

- 1. Alongi, S., Geolot, D., Richter, L., Mapstone, S., Edgerton, M., and Edlich, R. Physician and Patient Acceptance of Emergency Nurse Practitioners. Journal of the American College of Emergency Physicians, 1979, 2:9 (September) 357-9.
- 2. Boyd, D.M., ed. Symposium of Illinois Trauma Program. <u>Journal of Trauma</u>, 1973, 13:4 (April) 296-8.
- 3. Branham, G.B., Walker, W.W., Reisinger, C. A Nurse Practitioner Role in Ambulatory Care and Energency Service. Bursing Clinics of North America, 1977, 12:4 (December) 553-9.
- 4. Emergency Department Nurses Association, Position Paper on Emergency Medical Services. Journal of Emergency Nursing, 1975, 1:4 (July-August) 37-45.
- 5. Fincke, M. A New Dimension on Emergency Nursing. <u>Journal of Emergency Nursing</u>, 1975, 1:5 (September-October) 45-52.
- 6. Fottler, M.D. Physician Attitudes Toward Physician Extenders. Medical Care, 1979, 17:5 (May) 536-49.
- 7. Geolot, D., Alongi, S., Edlich, R. The Emergency Nurse Practitioner: An Answer to An Emergency Care Crisis in Rural Hospitals. <u>Journal of the American College of Emergency Physicians</u>, 1977, 6:5 (May) 355-7.
- 8. Geolot, D. The Emergency Room Practitioner. <u>Nurse Practitioners</u>, 1978, 3:12 (May-June) 12-28.
- 9. Hardy, V. The Emergency Nurse Practitioner: An Answer to an Emergency Care Crisis in Rural Hospitals. <u>Journal of the American College of Emergency Physicians</u>, 1978, 7:10 (October) 372-6.
- 10. Holloway, N.M., ed. <u>Core Curriculum</u>. Emergency Department Nurses' Association.
- 11. Joint Commission on Accreditation of Hospitals, Accreditation Manual for Hospitals 81, Chicago, 1980, JCAH, pp. 218.
- 12. Lawrence, R.S., De Freese, G.H., Putnam, S.M., Pickens, C.G., Cyr, A.B., and Whiteside, A.W. Physician Receptivity to Nurse Practitioners, a Study of the Correlates of the Delegation of Clinical Responsibility. **Edical Care*, 1977, 15:4 (April) 298-310.
- 13. Little, M. Physicians' Attitudes Toward Employment of Nurse Practitioners, 2 Parts. Nurse Practitioner, 1978, 3 (July-August) 27-30; (November-December) 26-29.

- 14. Roglieri, S.L. Multiple Expanded Roles for Nurses in Urban Emergency Rooms. Archives of Internal Medicine, 1975, 135: 1401.
- Sox, H.C. Quality of Patient Care by Nurse Practitioners and Payrillan. Assistants: A Ten-Year Perspective. Annals of Internal Medicine, 1979, 91:9 (September) 459-68.
- 16. Spitzer, W.O., Sackett, D.L., Sibley, J.C., Roberts, R.S., Dent, M., Kergun, D.J., Hacket, B.C., and Olynich, A. The Burlington Randomized Trial of the Nurse Practitioner. <u>New England Journal of Medicine</u>, 1974, 290: 215.
- 17. Storm, D.M. and Fox, d.C. The Public's View of Machine Factorians A Survey of Baltimore Urban Residents. Nedical Care, 1979, 17:5 (May) 526-35
- 18. Waeckerle, J.F., Gahghan, M., Billings, R., McIbbney, W., Kendall, H.D. The Emergency Nurse as a Primary Health Provider. <u>Journal of Emergency Nursing</u>, 1977, 3:4 (July-August) 21-25.
- 19. Williams, C.A. Nurse Practitioner Research: Some Neglected Issues. Nursing Outlook, 1975, 23:3 (March) 172-7.

DISTRIBUTION:

Defense Bocumentation Center (2)

HQDA (DASG-HCD-S)

Dir, Joint Medical Library, Offices of The Surgeons General, USA/USAF, The Pentagon, Rm 1B-473, Washington, DC 20310 (1)

AHS, Strimson Library (1)